

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Cudjoe</i>
Date of Inspection:	<i>2.4.2015</i>
Shift: 1 st Shift or 2 nd Shift	Time: <i>5:30am</i>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>NO</i>	<i>—</i>
Visible Emission From Discharge Conveyor System	<i>NO</i>	<i>—</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Chema S</i>		
Date of Inspection:	<i>2/1/15</i>		
Shift:	<i>1st</i> Shift or 2 nd Shift	Time:	<i>530pm</i>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>NOR</i>	<i>—</i>
Visible Emission From Discharge Conveyor System	<i>NOR</i>	<i>—</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Cudjoe</i>
Date of Inspection:	<i>2-2-2015</i>
Shift: 1 st Shift or 2 nd Shift	Time: <i>5:30</i>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Not</i>	<i>-</i>
Visible Emission From Discharge Conveyor System	<i>Not</i>	<i>-</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>Chen Sanyo</i>		
Date of Inspection: <i>2/2/15</i>		
Shift: <u>1st Shift</u> or 2 nd Shift	Time: <i>530pm</i>	

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>NOR</i>	<i>✓</i>
Visible Emission From Discharge Conveyor System	<i>NOR</i>	<i>✓</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko	
Date of Inspection:	Feb 3, 15	
Shift:	1 st Shift or 2 nd Shift	Time: 5:00

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>And Joe</i>
Date of Inspection:	<i>02.3.2015</i>
Shift: 1 st Shift or 2 nd Shift	Time: <i>6:30 am</i>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Not</i>	<i>-</i>
Visible Emission From Discharge Conveyor System	<i>Not</i>	<i>-</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Chema Sando	
Date of Inspection:	2/4/15	
Shift: 1 st Shift or 2 nd Shift	Time: 7AM	

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	Abn	Shaker boot needs replacement
Visible Emission From Discharge Conveyor System	NORM	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko	
Date of Inspection:	Feb 4, 15	
Shift:	1 st Shift or 2 nd Shift	Time: 500

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko	
Date of Inspection:	Feb	
Shift:	1 st Shift or 2 nd Shift	Time: 5:00

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Chenm Samko</i>
Date of Inspection:	<i>2/5/15</i>
Shift: 1 st Shift or <u>2nd Shift</u>	Time: <i>5 AM</i>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>NOR</i>	<i>—</i>
Visible Emission From Discharge Conveyor System	<i>NOR</i>	<i>—</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Ted Carpenter</i>	
Date of Inspection:	<i>2/6/15</i>	
Shift: 1 st Shift or 2 nd Shift	Time: <i>5 AM</i>	

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Normal</i>	<i>_____</i>
Visible Emission From Discharge Conveyor System	<i>Normal</i>	<i>_____</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Chema Saurio</i>	
Date of Inspection:	<i>2/6/15</i>	
Shift: <i>1st</i> Shift or 2 nd Shift	Time:	<i>5 pm</i>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>NOR</i>	<i>slight water vapor leaking from edges</i>
Visible Emission From Discharge Conveyor System	<i>NOR</i>	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>James Garcia</i>
Date of Inspection:	<i>2/7/15</i>
Shift: <input checked="" type="radio"/> 1 st Shift or <input type="radio"/> 2 nd Shift	Time: <i>3pm</i>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>NOR</i>	<i>_____</i>
Visible Emission From Discharge Conveyor System	<i>NOR</i>	<i>_____</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:		
Date of Inspection:		
Shift: 1 st Shift or 2 nd Shift	Time:	

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<i>Nor</i>	
Visible Emission From Discharge Conveyor System	<i>Nor</i>	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:		
Date of Inspection:		
Shift: 1 st Shift or 2 nd Shift	Time:	

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker.	<i>Nor</i>	
Visible Emission From Discharge Conveyor System	<i>Nor</i>	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Jaime N Garcia</i>	
Date of Inspection:	<i>2/05/15</i>	
Shift:	<input checked="" type="radio"/> 1 st Shift or <input type="radio"/> 2 nd Shift	Time: <i>5 pm</i>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>NOR</i>	
Visible Emission From Discharge Conveyor System	<i>NOR</i>	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Quelje</i>
Date of Inspection:	<i>2.9.2015</i>
Shift: 1 st Shift or <u>2nd Shift</u>	Time: <i>6:30</i>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Not</i>	<i>-</i>
Visible Emission From Discharge Conveyor System	<i>Not</i>	<i>-</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko	
Date of Inspection:	Feb 20 18 Feb 9, 15	
Shift:	1 st Shift or 2 nd Shift	Time:

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	.

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Darren Cudjoe</i>	
Date of Inspection:	<i>2/10/2015</i>	
Shift: 1 st Shift or 2 nd Shift	Time: <i>5:30</i>	

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Not</i>	<i>—</i>
Visible Emission From Discharge Conveyor System	<i>Not</i>	<i>—</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko	
Date of Inspection:	Feb 10, 15	
Shift:	1 st Shift or 2 nd Shift	Time: 530

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Andjoe</i>
Date of Inspection:	<i>2-11-2015</i>
Shift: 1 st Shift or <u>2nd Shift</u>	Time: <i>5:30</i>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	
Visible Emission From Discharge Conveyor System	<i>Nor</i>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:

Smelko

Date of Inspection:

Feb 11, 15

Shift: 1st Shift or 2nd Shift

Time:

500

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>NOR</i>	<i>-</i>
Visible Emission From Discharge Conveyor System	<i>NOR</i>	<i>-</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>Feb 13, 15</u>
Shift: <u>1st Shift</u> or 2 nd Shift Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<u>NOR</u>	-
Visible Emission From Discharge Conveyor System	<u>NOR</u>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>Cedee</i>		
Date of Inspection: <i>2-12-15</i>		
Shift: 1 st Shift or <u>2nd Shift</u> Time: <i>6:00</i>		
Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<i>Nor</i>	—
Visible Emission From Discharge Conveyor System	<i>Nor</i>	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:

Smelko

Date of Inspection:

Feb 13, 15

Shift:

1st Shift

or

2nd Shift

Time:

5:00

Comments

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: Chen S.

Date of Inspection: 2/13/15

Shift: 1st Shift or 2nd Shift

Time: 5 20

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>—</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>—</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:		
Date of Inspection:		
Shift: 1 st Shift or 2 nd Shift		Time:
Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<i>Nor</i>	
Visible Emission From Discharge Conveyor System	<i>Nor</i>	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:

Date of Inspection:

Shift: 1st Shift or 2nd Shift

Time: 5

Comments

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:

Date of Inspection:

Shift: 1st Shift or 2nd Shift

Time:

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<i>Nor</i>	
Visible Emission From Discharge Conveyor System	<i>Nor</i>	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:

Jaime N Garcia

Date of Inspection:

2/15/15

Shift:

1st Shift

or

2nd Shift

Time:

5 pm

Comments

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOK	
Visible Emission From Discharge Conveyor System	NOK	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: Smelko

Date of Inspection: Feb 16, 15

Shift: 1st Shift or 2nd Shift Time: 5:00

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<u>nor</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>nor</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:

Jaime N Garcia

Date of Inspection:

2/16/15

Shift: ☒ 1st Shift or ☐ 2nd Shift

Time:

5 pm

Comments

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>NOK</i>	<i>—</i>
Visible Emission From Discharge Conveyor System	<i>NOK</i>	<i>—</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift

(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:

Smelko

Date of Inspection:

Feb 16, 15

Shift:

1st Shift

or

2nd Shift

Time:

500

Comments

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:

Chema Sandoz

Date of Inspection:

2/17/15

Shift: 1st Shift or

2nd Shift

Time:

530

Comments

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>NOR</i>	<i>—</i>
Visible Emission From Discharge Conveyor System	<i>NOR</i>	<i>—</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: Darren Cudgore

Date of Inspection: _____

Shift: 1st Shift or 2nd Shift 2nd Time: 6:30

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<u>Not</u>	—
Visible Emission From Discharge Conveyor System	<u>Not</u>	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: Smelfo

Date of Inspection: Feb 18, 15

Time: 5:30

Shift: 1st Shift or 2nd Shift

Comments

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	
Visible Emission From Shaker	<u>nor</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>nor</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: *And Joe*

Date of Inspection: *2.19.2015*

Shift: 1st Shift or 2nd Shift Time: *6:30*

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	-
Visible Emission From Discharge Conveyor System	<i>Nor</i>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: Smelko
 Date of Inspection: Feb 19 15
 Shift: 1st Shift or 2nd Shift Time: 5:46 am

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	
Visible Emission From Discharge Conveyor System	<u>NOR</u>	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:

Darren B. Anderson

Date of Inspection:

2-20-2015

Shift: 1st Shift or

2nd Shift

Time:

6:30

Comments

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Not</i>	<i>-</i>
Visible Emission From Discharge Conveyor System	<i>Not</i>	<i>-</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: Smellco

Date of Inspection: Feb 20 05

Shift: 1st Shift or 2nd Shift Time: 300

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	
Visible Emission From Discharge Conveyor System	<u>NOR</u>	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:

Date of Inspection:

Shift: 1st Shift or 2nd Shift Time:

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	
Visible Emission From Discharge Conveyor System	<i>Nor</i>	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: *James N. Corbett*

Date of Inspection: *2/21/10*

Shift: *1st* Shift or *2nd* Shift

Time: *5 PM*

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>NOR</i>	<i>—</i>
Visible Emission From Discharge Conveyor System	<i>NOR</i>	<i>—</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:

Date of Inspection:

Shift: 1st Shift or 2nd Shift Time:

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	Nor	
Visible Emission From Discharge Conveyor System	Nor	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Jaime Garcia	
Date of Inspection:	2/22/15	
Shift:	1 st Shift or 2 nd Shift	Time: 5PM

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOK	
Visible Emission From Discharge Conveyor System	NOK	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: *Darren Cudjoe*

Date of Inspection:

Shift: 1st Shift or 2nd Shift

Time: *530*

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	<i>-</i>
Visible Emission From Discharge Conveyor System	<i>Nor</i>	<i>-</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smello	
Date of Inspection:	Feb 24, 15	
Shift:	1 st Shift or 2 nd Shift	Time: 530

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: *Darren C. [Signature]*

Date of Inspection: *2-24-2015*

Shift: 1st Shift or 2nd Shift

Time: *6:50*

Comments

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	
Visible Emission From Discharge Conveyor System	<i>Nor</i>	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: Smelko

Date of Inspection: Feb 24, 15

Shift: 1st Shift or 2nd Shift

Time: 5:00

Comments

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:

Smello

Date of Inspection:

Feb 25, 15

Shift:

☒ 1st Shift

or

☐ 2nd Shift

Time:

5:30

Comments

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>NOR</i>	<i>-</i>
Visible Emission From Discharge Conveyor System	<i>NOR</i>	<i>-</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:

Chema S.

Date of Inspection:

2/25/15

Shift: 1st Shift or 2nd Shift

Time:

5:31 AM

Comments

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>NOR</i>	
Visible Emission From Discharge Conveyor System	<i>NOR</i>	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:

Darren B Andgoe

Date of Inspection:

20.6.2015

Shift: 1st Shift or

2nd Shift

Time:

600

Comments

Unit	Visual Inspection NORMAL or ABNORMAL	
Visible Emission From Shaker	<i>Not</i>	<i>—</i>
Visible Emission From Discharge Conveyor System	<i>Not</i>	<i>—</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:

Chema Sancedo

Date of Inspection:

2/26/15

Shift: 1st Shift or 2nd Shift

Time:

5 pm

Comments

Unit	Visual Inspection NORMAL or ABNORMAL	
Visible Emission From Shaker	NOR	
Visible Emission From Discharge Conveyor System	NOR	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:

Jaime Garcia

Date of Inspection:

2/27/15

Shift: ☒ 1st Shift or

☐ 2nd Shift

Time:

5

Comments

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>NOK</i>	
Visible Emission From Discharge Conveyor System	<i>NOK</i>	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:

Darren J Cadogan

Date of Inspection:

2.27.2015

Shift: 1st Shift or

2nd Shift

Time:

5:30

Comments

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	—
Visible Emission From Discharge Conveyor System	<i>Nor</i>	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:

Date of Inspection:

Shift: 1st Shift or 2nd Shift Time:

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	Nor	
Visible Emission From Discharge Conveyor System	Nor	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:

Jaime N. Garcia

Date of Inspection:

2/28/15

Shift:

1st Shift

or

2nd Shift

Time:

5 PM

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>NOR</i>	<i>—</i>
Visible Emission From Discharge Conveyor System	<i>NOR</i>	<i>—</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.